


MnZn Ferrite ETD Cores



Part no.	Dimensions (mm)						C1 (mm-1)	Le (mm)	Ae (mm <sup>2</sup> )	Ve (mm <sup>3</sup> )	Weight (g)	AL (nH/N <sup>2</sup> ) ±25%
	A	B	C	D	E	F						
ETD39	39.0 ±0.6	29.3 min	12.5 ±0.3	12.5 ±0.3	14.6 ±0.3	19.8 ±0.2	0.72	92.60	128.00	11852.80	59.50	2300
ETD44	44.0 ±0.6	32.8 min	14.8 ±0.3	14.8 ±0.3	16.4 ±0.3	22.3 ±0.3	0.59	104.00	175.00	18200.00	94.00	3700
ETD49	49.0 ±0.6	37.0 min	16.3 ±0.3	16.3 ±0.4	18.1 ±0.3	24.7 ±0.2	0.56	116.00	208.00	24128.00	124.00	4600
ETD54	54.5 ±0.6	41.5 min	18.9 ±0.3	18.9 ±0.3	20.2 ±0.3	27.6 ±0.2	0.47	129.00	275.00	35475.00	182.50	5600